



Data Sheet

MAGNESIUM CHLORIDE FLAKES

DESCRIPTION :-

Small white flake of Magnesium Chloride Hexahydrate.

CHEMICAL ANALYSIS % :-

	Typical	Specification		Typical	Specification
MgCl ₂ %	47	46.5 Min	Ca mg/kg		100 Max
MgSO ₄ %	0.35	0.60 Max	Fe mg/kg	12	25 Max
KCl %	0.45	0.70 Max	As mg/kg		0.1 Max
NaCl %	0,55	0.70 Max	Cd mg/kg		0.1 Max
Br %	0.50	0.75 Max			

PHYSICAL PROPERTIES :-

Size Grading	:	5 - 50 mm flakes (Nominal)
pH aqueous solution	:	8,7
Packaging	:	25 / 50 Kg Bags
Storage and Handling	:	A very hygroscopic product. Store it in a dry place and quickly reseal opened bags.

USES :-

Magnesium metal, Animal feed supplements, Fertilizer mixtures, De-icing fluids, Cooling systems, Oxychloride cements, Drilling mud, textiles, Detergents, Sugar, Tyre filling.

Completed :	T Carolin	Approved By _____	Approved :	S. Gregory
Title:	Quality Manager		Title :	Director
Date of Issue :	2015-10-01		Revision :	2

No liability is accepted for infringement of Patents or misuse of the product.
A hard copy of this document is valid only for two weeks from the printed date above, provided this page carries the document approval name, title and date details, for extended periods this page must also carry a green OPTIMIN Approved stamp.

OPTIMUM MINERALS PTY LTD.

Lonehill Boulevard Office Park, P.O. Box 1048, Lonehill, 2062, Johannesburg, South Africa.
Tel: +27 (11) 465-6121/3/4, Fax: +27 (11) 465-2242/8338, E-Mail: sales@optimin.co.za
Visit our Web-Page : <http://www.optimin.co.za>